

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (canceled).

Claim 2 (currently amended): The method of claim ~~8~~⁴, wherein if the digital certificate is valid the method further comprises the steps of:

- transmitting the encryption key to the client computer; and
- the client computer decrypting the content with the encryption key.

Claim 3 (original): The method of claim 2, further comprising the steps of:

- encrypting the encryption key, wherein:
 - the transmitting step transmits the encrypted encryption key to the client computer; and
 - the client computer decrypting the encrypted encryption key.

Claim 4 (original): The method of claim 3, further comprising the step of:

- determining a hardware profile of the client computer, wherein:
 - the encrypting step encrypts the encryption key with the hardware profile of the client computer.

Claim 5 (original): The method of claim 4, wherein:

- the hardware profile of the client computer is stored and linked with a copy of the digital certificate on the server; and
- the determining step retrieves the hardware profile that is linked with the copy of the digital certificate.

Claim 6 (original): The method of claim 2, wherein encryption key is only stored in volatile memory of the client computer.

Claim 7 (canceled).

Claim 8 (currently amended): A method of digital rights management (DRM), comprising the steps of:

- receiving content at a client computer, wherein the content is encrypted with an encryption key;

- the client computer requesting the encryption key from a server using a digital certificate, ~~The method of claim 7,~~ wherein the digital certificate includes a public key of a public key infrastructure (PKI) key pair, ~~the server is remote from the client computer and a~~

first hardware profile of the client computer is stored and linked with a copy of the digital certificate on the server, and the requesting step includes transmitting a second hardware profile of the client computer to the server;

the server receiving the request;

determining if the digital certificate is valid, wherein the determining step determines whether the second hardware profile is the same as the first hardware profile;

~~and the method further comprises the step of:~~

encrypting the second hardware profile of the client computer with a random session key; and

encrypting the random session key with the public key of the PKI key pair.

Claim 9 (original): The method of claim 8, wherein:

a copy of the digital certificate including a private key of the PKI key pair is stored on the server; and

the determining step includes decrypting the random session key with the private key of the PKI key pair.

Claim 10 (currently amended): The method of claim ~~8~~, wherein:

the digital certificate includes a certificate serial number;

a copy of the digital certificate that includes the certificate serial number is stored on the server;

the requesting step includes transmitting the certificate serial number to the server; and

the determining step includes retrieving the copy of the digital certificate using the certificate serial number.

Claim 11 (currently amended): The method of claim ~~8~~, wherein the receiving step receives content from a website server.

Claim 12 (currently amended): The method of claim ~~8~~, wherein the server is a first server and the receiving step receives content from a second server co-located with the first server.

Claim 13 (canceled).

Claim 14 (currently amended): The system of claim ~~20~~~~13~~, wherein the server software further comprises instructions for:

if the digital certificate is valid, transmitting the encryption key to the client computer.

Claim 15 (original): The system of claim 14, wherein the client computer software further comprises instructions for:

decrypting the content with the encryption key.

Claim 16 (currently amended): The system of claim 2013, wherein the server software further comprises instructions for:

encrypting the encryption key, wherein the transmitting instruction transmits the encrypted encryption key to the client computer.

Claim 17 (original): The system of claim 16, wherein the server software further comprises instructions for:

determining a hardware profile of the client computer, wherein the encrypting instruction encrypts the encryption key with the hardware profile of the client computer.

Claim 18 (original): The system of claim 16, wherein the hardware profile of the client computer is stored and linked with a copy of the digital certificate on the server and the determining instruction retrieves the hardware profile that is linked with the copy of the digital certificate.

Claim 19 (canceled).

Claim 20 (currently amended): A system for digital rights management comprising:

a digital rights management (DRM) server; and

a client computer, wherein the client computer includes software comprising instructions for:

receiving content, wherein the content is encrypted with an encryption key;

and

requesting the encryption key from the DRM server using a digital certificate,

The system of claim 19, wherein the digital certificate includes a public key of a public key infrastructure (PKI) key pair and the DRM server is remote from the client computer; and

wherein the DRM server includes software comprising instructions for:

receiving the request; and

determining if the digital certificate is valid; and

wherein the server further includes a first hardware profile of the client computer stored and linked with a copy of the digital certificate, the requesting instruction includes transmitting a second hardware profile of the client computer to the server, the determining instruction determines whether the second hardware profile is the same as the first hardware profile and the client computer software further comprises instructions for:

encrypting the second hardware profile of the client computer with a random session key; and

encrypting the random session key with the public key of the PKI key pair.

Claim 21 (original): The system of claim 20, wherein the server includes a copy of the digital certificate including a private key of the PKI key pair and the determining instruction includes decrypting the random session key with the private key of the PKI key pair.

Claim 22 (currently amended): The system of claim ~~20~~¹³, wherein:

the digital certificate includes a certificate serial number;

the server includes a copy of the digital certificate including the certificate serial number;

the requesting instruction includes transmitting the certificate serial number to the server; and

the determining instruction includes retrieving the copy of the digital certificate using the certificate serial number.

Claim 23 (currently amended): The system of claim ~~20~~¹³, wherein the receiving instruction receives content from a website server.

Claim 24 (currently amended): The system of claim ~~20~~¹³, wherein the server is a first server and the receiving instruction receives content from a second server co-located with the first server.

Claim 25 (canceled).

Claim 26 (currently amended): The computer-readable medium of claim ~~29~~²⁵, further comprising instructions for:

receiving the encryption key from the server, wherein the encryption key is encrypted;

and

decrypting the encryption key.

Claim 27 (original): The computer-readable medium of claim 26, wherein:

the encryption key is encrypted with a hardware profile of the client computer; and

the decrypting instruction decrypts the encryption key with the hardware profile of the client computer.

Claim 28 (canceled).

Claim 29 (currently amended): A computer-readable medium comprising instructions for digital rights management, by:

receiving content at a client computer, wherein the content is encrypted with an encryption key; and

requesting the encryption key from a digital rights management (DRM) server using a digital certificate. ~~The computer-readable medium of claim 28,~~ wherein the digital certificate includes a public key of a public key infrastructure (PKI) key pair and wherein:

the server is remote from the client computer;
the server receives the request;
the server determines if the digital certificate is valid;
a first hardware profile of the client computer is stored on the server; and
the requesting instruction includes transmitting a second hardware profile of the client
computer to the server, wherein the DRM determines if the digital certificate is valid by
comparing the second hardware profile of the client computer to the first hardware profile of
the client computer, the computer readable medium further comprising instructions for:

encrypting the second hardware profile of the client computer with a random session
key; and

encrypting the random session key with the public key of the PKI key pair.

Claim 30 (currently amended): The computer-readable medium of claim ~~2925~~ wherein:

the digital certificate includes a certificate serial number;

the server includes a copy of the digital certificate including the certificate serial
number;

the requesting instruction includes transmitting the certificate serial number to the
server; and

the DRM determines if the digital certificate is valid by retrieving the copy of the
digital certificate using the certificate serial number.

Claim 31 (currently amended): The computer-readable medium of claim ~~2925~~ wherein the
receiving instruction receives content from a website server.

Claim 32 (currently amended): The computer-readable medium of claim ~~2925~~ wherein the
server is a first server and the receiving instruction receives content from a second server co-
located with the first server.

Claims 33-40 (canceled).